中文題目:病例報告;一位患者同時有十二指腸黏膜下囊腫及頑固性十二指腸潰瘍

英文題目: Case report: A patient with duodenal subepithelial cyst and refractory diffused duodenal ulcers

作 者:魏正一¹,陳炳憲¹,黃怡翔^{1,2,3},侯明志^{1,3}

服務單位:¹台北榮總內科部胃腸肝膽科,²國立陽明大學醫學系,³國立陽明大學臨床醫學研究所

Abstract

A 60-years-old male had no any systemic disease. He consulted gastroenterologist in VGHTPE because of epigastralgia for six months. The initial esophagogastroduodenoscopy (EGD) revealed small gastric ulcers, duodenal ulcers and subepithelial tumor at 2nd portion of duodenum. Endoscopic ultrasound(EUS) found anechoic lesion 8.3mm x 3.1mm in size at subepithelial mucosa. He received standard anti-secretory medication for one year. His symptoms remained. He received follow up EGD twice during this year and diffused diffused shallow ulcers at 2nd portion of duodenum still. The duodenal 2nd portion subepithelial tumor had increased size. After endoscopic mucosal resection (EMR), his symptoms recovered. The pathology reported the subepithelial cyst is heterotopic gastric mucosa (HGM). The follow up EGD found neither peptic ulcers nor subepithelial tumor in following two years. This case illustrates that duodenal HMG presents as a cystic lesion and associate with refractory peptic ulcers.